

WundForum

Literatur-Service

M. Weber, Universität Magdeburg

Extravasate und deren Folgeerscheinungen durch systemische Chemotherapie

WundForum 4/2003
Titelthema
Seiten 9-14

Alberts DS, Dorr RT
Case report: topical DMSO for mitomycin-C-induced skin ulceration.
Oncol Nurs Forum 1991 May-Jun;18(4):693-5

Argenta LC, Manders EK (1983)
Mitomycin C extravasation injuries.
Cancer 51:1080-1082

Barr RD, Sertic J (1981)
Soft-tissue necrosis induced by extravasated cancer chemotherapeutic agents: a study of active intervention. British Journal of Cancer 44: 267-269

Barth, J. Bildat, S. (2000) Empfehlungen zur Behandlung von Paravasaten mit Vinorelbin Krankenhaus-pharmazie – im Druck

Barth J (2000)
Zytostatika herstellung in der Apotheke.
Deutscher Apotheker Verlag Stuttgart, ISBN 3-7692-2656-9 (Grundwerk)

Barutca S, Kadikoylu G, Bolaman Z, Meydan N, Yavasoglu I
Extravasation of paclitaxel into breast tissue from central catheter port.
Support Care Cancer 2002 Oct;10(7):563-5

Berghammer P, Pohnl R, Baur M, Dittrich C
Docetaxel extravasation.
Support Care Cancer 2001 Mar;9(2):131-4

Bertelli G, Gozza A, Forno GB, Vidili MG, Silvestro S, Venturini M, Del Mastro L, Garrone O, Rosso R and Dini D
Topical dimethylsulfoxide for the prevention of soft tissue injury after extravasation of vesicant cytotoxic drugs: a prospective clinical study.
J Clin Oncol 13 (11): 2851-2855, 1995

Bertelli G et al.
Hyaluronidase as an antidote to extravasation of Vinca alkalids: clinical results.
Cancer Res Clin Oncol 120:505-506, 1994

Bertelli G
Prevention and management of extravasation of cytotoxic drugs. Drug Saf 1995 Apr;12(4):245-55

Bicher A, Levenback C, Burke TW, Morris M, Warner D, DeJesus Y, Gershenson DM
Infusion site soft-tissue injury after paclitaxel administration. Cancer 1995 Jul 1;76(1):116-20

Bos AM, van der Graaf WT, Willemse PH
A new conservative approach to extravasation of anthracyclines with dimethylsulfoxide and dexrazoxane. Acta Oncol 2001;40(4):541-2

Buchmann GR, Buchsbaum HJ, O'Bannion K, Gojer B
Extravasation of dactinomycin, vincristine, and cisplatin: Studies in an animal model.
Med. Pediatr. Oncol 13: 375-380, 1985

- Cox K, Stuart-Harris R, Abdini G et al. (1988)
The management of cytotoxic-drug extravasation -
guidelines drawn up by a working party for the Clinical
Oncological Society of Australia.
Med J Aust 148:185-189
- Cox RF
Managing skin damage induced by doxorubicin hydro-
chloride and daunorubicin hydrochloride.
Am J Hosp Pharm 1984 Nov;41(11):2410-4
- Desai MH, Tere D
Prevention of doxorubicin-induced ulcers in the rat
and pig with dimethylsulfoxide (DMSO).
Cancer Treat Rep 66:1371-1374, 1982
- Disa JJ, Chang RR, Mucci SJ, Goldberg NH
Prevention of adriamycin-induced full-thickness skin
loss using hyaluronidase infiltration.
Plast Reconstr Surg 1998 Feb;101(2):370-4
- Dorr RT und Hoff DD
Cancer Chemotherapy.
Hand-book 1994, 2nd edition: 109-118, 495-499
- Dorr RT, Alberts DS, Stone A
Cold protection and heat enhancement of doxorubicin
skin toxicity in the mouse.
Cancer Treat Rep 1985 Apr;69(4):431-7
- Dorr RT, Alberts DS
Vinka alkaloid skin toxicity: Antidote and drug disposi-
tion studies in the mouse. JNCI 74:113-120, 1985
- Dorr RT, Alberts, D
Failure of DMSO and vitamin E to prevent doxorubicin
skin ulceration in the mouse.
Cancer Treat Rep 67: 499-501, 1983
- Dorr RT, Snead K, Liddil JD
Skin ulceration potential of paclitaxel in a mouse skin
model in vivo. Cancer 1996 Jul 1;78(1):152-6
- Dorr RT
Antidotes to vesicant chemotherapy extravasations.
Blood Reviews 4: 41-60, 1990
- Dorr RT
What is the appropriate management of tissue extrava-
sation by anti-tumor agents? Discussion.
Plast. reconstr. Surg. 75:403-405, 1985
- Dorr RT, Bool, KL (1995)
Antidote studies of vinorelbine-induced skin ulceration
in the mouse.
Cancer Chemotherapy and Pharmacology 36: 290-292
- Dorr RT, Solble MJ, Liddil JD, Keller JH (1986)
Mitomycin C skin toxicity in mice: reduced ulceration
and altered pharmacokinetics with topical dimethyl
sulfoxide. Journal of Clinical Oncology 4: 1399-1404
- Duray PH, Cuono CB, Madri K (1986)
Demonstration of cutaneous doxorubicin extravasation
by rhodamine filtered fluorescence microscopy.
J Surg Oncol 31:21-25
- Gemmern R van
Gewebstoxizität und Paravasatbehandlung neuer Zyto-
statika. Krankenhauspharmazie 10: 471-473, 1996
- Harwood K, Gonin R
Short term vs. long term local cooling after doxorubicin
(DOX) extravasation: An Eastern Cooperative Oncology
Group (ECOG) study.
Proc Am Soc Clin Oncol 3:447, 1994 (abstr 15544)
- Harwood K, Herrmann R
Paravasate bei intravenöser Chemotherapie.
DMW 119, Nr. 10: 359-360, 1994
- Heitmann C, Durmus C, Ingianni G
Surgical management after doxorubicin and epirubicin
extravasation. J Hand Surg [Br] 1998 Oct;23(5):666-8
- Kappel B, Hindenburg AA, Taub RN
Treatment of anthracycline extravasation - A warning
against the use of sodium bicarbonate.
J Clin Oncol (letter) 5: 825-826, 1987
- Kassner E
Evaluation and treatment of chemotherapy extravasati-
on injuries. J Pediatr Oncol Nurs 2000 Jul;17(3):135-48
- Köstering H, Nagel GA
Prophylaxe und Therapie von Zytostatika- Hautnekro-
sen. Onkologie 6 (1980) 317-320
- Köstering H
Lokale Toxizität des Adriamycins.
Beitr. Onkologie 9 (1981) 76-93
- Krämer I
Zytostatika-Paravasate-Set.
Krankenhauspharmazie 13:154-160, 1992

- Langer SW, Sehested M, Jensen PB
Dexrazoxane is a potent and specific inhibitor of anthracycline induced subcutaneous lesions in mice.
Ann Oncol 2001 Mar;12(3):405-10
- Langstein HN, Duman H, Seelig D, Butler CE, Evans GR
Retrospective study of the management of chemotherapeutic extravasation injury.
Ann Plast Surg 2002 Oct;49(4):369-74
- Larson DL (1982)
Treatment of tissue extravasation by antitumor agent.
Cancer 49:1796-1799
- Larson, DL
What is the appropriate management of tissue extravasation by anti-tumor agents?
Plast. reconstr. Surg. 75:397-402, 1985
- Loth RS (1986)
Minimal surgical debridement for the treatment of chemotherapeutic agent-induced skin extravasation.
Cancer Treat Rep 70: 401-404
- Loth TS, Eversmann WW
Treatment methods for extravasations of chemotherapeutic agents: A comparative study.
J Hand Surg 11A: 388-96, 1986
- MacDonald JR, Pegg DG
Extravasation injury potential of CI-980, a novel synthetic mitotic inhibitor.
Cancer Chemother Pharmacol 1993;32(5):365-7
- Morykwas MJ, Kennedy A, Argenta JP, Argenta LC
Use of subatmospheric pressure to prevent doxorubicin extravasation ulcers in a swine model.
J Surg Oncol 1999 Sep;72(1):14-7
- Nobbs P, Barr RD (1983)
Soft-tissue injury caused by antineoplastic drugs is inhibited by topical dimethyl sulphoxide and alpha tocopherol. Br J Cancer 48:873-876
- Okano T, Ohnuma R, Efremidis A et al. (1983)
Doxorubicin-induced skin ulcer in the piglet.
Cancer Treat Rep 67:1075-1078
- Olver IN, Aisner J, Hament A, Buchanan L, Bishop JF, Kaplan RS
A prospective study of topical dimethyl sulfoxide for treating anthracycline extravasation. Journal of Clinical Oncology 1988; 11: 1732-1735.
- Oostweegel LMM, Warmerdam LJC van, Schot M, Dubbelman RC, Ten Bokkel Huinink WW, Beijnen JH
Extravasation of topotecan, a report of two cases.
J Oncol Pharm Practice, 2: 115-116, 1997
- Pond GD, Dorr RT, McAleese KA
Skin ulceration from extravasation of low-osmolality contrast medium: a complication of automation.
AJR Am J Roentgenol 1992 Apr;158(4):915-6
- Reilly Jj, Neifeld JP, Rosenberg SA (1977)
Clinical course and management of accidental adriamycin extravasation. Cancer 40:2053-2056
- Robijns BJ, de Wit WM, Bosma NJ, van Vloten WA
Localized bullous eruptions caused by extravasation of commonly used intravenous infusion fluids.
Dermatologica 1991;182(1):39-42
- Rospond RM, Engel LM
Therapy consultation.
Clinical Pharmacy 12:560-561, 1993
- Rudolph R, Larson DL
Etiology and treatment of chemotherapeutic agent extravasation injuries: a review.
J Clin Oncol 5: 116-1126, 1987
- Schneider SM, Distelhorst CW
Chemotherapy-induced emergencies.
Sem Oncol 16:572-578, 1989
- Schulmeister L, Camp-Sorrell D
Chemotherapy extravasation from implanted ports.
Oncol Nurs Forum 2000 Apr;27(3):531-8; quiz 539-40
- Shenaq SM, Abbase EH, Friedman JD
Soft-tissue reconstruction following extravasation of chemotherapeutic agents.
Surg Oncol Clin N Am 1996 Oct;5(4):825-45
- Soble MJ, Dorr RT, Plezia P, Breckenridge S
Dose dependent skin ulcers in mice treated with DNA binding antitumor antibiotics.
Cancer Chem Pharmacol. 20: 33-36, 1987
- Sommer NZ, Bayati S, Neumeister M, Brown RE
Dapsone for the treatment of doxorubicin extravasation injury in the rat.
Plast Reconstr Surg 2002 May;109(6):2000-5

Tsavaris NB, Komitsopoulou P, Karagiaouris P,
Loukatou P, Tzannou I, Mylonakis N, Kosmidis P
Prevention of tissue necrosis due to accidental extravasation of cytostatic drugs by a conservative approach.
Cancer Chemother Pharmacol 1992;30(4):330-3

Vasilev SA, Morrow C, Morrow CP
Basic fibroblast growth factor in retardation of doxorubicin extravasation injury.
Gynecol Oncol 1992 Feb;44(2):178-81

Viale PH, Yamamoto DS, Geyton JE
Extravasation of infusate via implanted ports: two case studies.
Clin J Oncol Nurs 1999 Oct;3(4):145-51